## AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A cleaning sheet having a cleaning surface comprising a cleaning area for cleaning a piled surface and a low-friction area which adjoins said cleaning area,

wherein said cleaning area has a first sheet as a scraping part and second sheet as a dust-holding part, wherein the first and second sheets extend in the same direction;

said first sheet is an air-laid nonwoven fabric comprising at least one thermoplastic resin selected from the group consisting of a polyolefin, polyamide, polyester and a fluororesin, and the air-laid surface comprises numerous fibers having a fineness of 23 to 200 dtex;

said second sheet comprises spun-laced, air-through or spunbonded nonwoven fabric;

said scraping part of the first sheet having on the surface thereof numerous fibers that edges into the pile of a piled surface and scrapes fibrous dust present in said pile, said fibers mainly comprising fibers constituting the air-laid nonwoven fabric, and said dust-holding part of the second sheet holds the scraped fibrous

wherein said cleaning area having a coefficient of static friction of 0.1 to 4.0 against wool press felt (JIS L3201 R33W),

dust;

Appl. No. 09/974,853 Art Unit 1771 Reply to Office Action of January 13, 2005

wherein said cleaning area contains the air-laid nonwoven fabric, and

said low-friction area comprises a film or a nonwoven fabric, and wherein said low-friction area has a coefficient of static friction of 0.01 to 1.0 against wool press felt (JIS L3201 R33W).

## 2. (Canceled)

- 3. (**Previously Presented**) The cleaning sheet according to claim 1, wherein an area ratio of said low-friction area to said cleaning surface is 10 to 60%.
- 4. (Original) The cleaning sheet according to claim 1, wherein said low-friction area is disposed on one side of said cleaning surface across the cleaning direction of said cleaning surface.
- 5. (Original) The cleaning sheet according to claim 4, wherein said low-friction area is disposed on both sides of said cleaning surface across the cleaning direction of said cleaning surface.

## 6-9. (Canceled)

Appl. No. 09/974,853 Art Unit 1771 Reply to Office Action of January 13, 2005

10. (Previously Presented) The cleaning sheet according to claim 1, wherein said dust-holding part holds fibrous dust by having the fibrous dust physically entangled therewith or by having the fibrous dust adhered thereto via a sticky substance.

## 11-14. (Canceled)

15. (NEW) The cleaning sheet according to claim 1, wherein said first sheet is disposed on said second sheet.